Brain Research, 628 (199) 357–359
Elsevier Science Publishers B.V.

Author Index

Abou-Donia, M.B., see Wilmarth, K.R. (628) 293
Adem, A., see Bogdanovic, N. (628) 31
Aebischer, P., see Sanberg, P.R. (628) 327
Agid, Y., see Villares, J. (628) 72
Altier, N. and Stewart, J.
Intra-VTA infusions of the substance P analogue, DiMe-C7, and intra-accumbens infusions of amphetamine induce analgesia in the formalin test for tonic pain (628) 279
Ambros-Ingerson, J., see Hall, R.A. (628) 345
Amisetti, S.M., see Sanberg, P.R. (628) 327
Antón, P.S., Granger, R. and Lynch, G.
Simulated dendritic spines influence reciprocal synaptic strengths and lateral inhibition in the olfactory bulb (628) 157

Bahr, B.A., Godshall, A.C., Murray, B.A. and Lynch, G.
Age-related changes in neural cell adhesion molecule (NCAM) isoforms in the mouse telencephalon (628) 286
Baker, H.F., see Ridley, R.M. (628) 56
Baker, J.A., see Ridley, R.M. (628) 56
Baudry, M., see Bernard, J. (628) 340
Bellinger, F.P., Madamba, S. and Siggins, G.R.
Interleukin 1β inhibits synaptic strength and long-term potentiation in the rat CA1 hippocampus (628) 227
Bergström, L., see Bogdanovic, N. (628) 31
Bergström, L., see Nilsson, L. (628) 93
Bernard, J., Lahsaïni, A., Baudry, M. and Massicotte, G.
The phospholipase A_2 inhibitor bromophenacyl bromide prevents the depolarization-induced increase in [^{3}H]AMPA binding in rat brain synaptoneurosomes (628) 340
Berry, R.L., Perkins IV, A.T. and Teyler, T.J.
Visual deprivation decreases long-term potentiation in rat visual cortical slices (628) 99
Bertoni-Freddari, C., Fattoretti, P., Casoli, T., Spagna, C., Meier-Ruge, W. and Ulrich, J.
Morphological plasticity of synaptic mitochondria during aging (628) 193
Boadle-Biber, M.C., Singh, V.B., Corley, K.C., Phan, T.-H. and Dilts, R.P.
Evidence that corticotropin-releasing factor within the extended amygdala mediates the activation of tryptophan hydroxylase produced by sound stress in the rat (628) 105
Bogdanovic, N., Nilsson, L., Adem, A., Winblad, B. and Bergström, L.
Decrease of somatostatin receptor binding in the rat cerebral cortex after ibotenic acid lesion of the nucleus basalis magnocellularis: a quantitative autoradiographic study (628) 31
Boudreau, R.E., see Carr, C.E. (628) 330
Brunjes, P.C., see Stewart, J.S. (628) 243
Bugnon, C., see Compagnone, N. (628) 137
Burazin, T.C.D., see Gundlach, A.L. (628) 263

Cadden, S.W.
The ability of inhibitory controls to 'switch-off' activity in dorsal horn convergent neurones in the rat (628) 65
Cahill, D.W., see Sanberg, P.R. (628) 327
Cano, J., see Santiago, M. (628) 187
Caputo, C.B., see Scott, C.W. (628) 77
Carr, C.E. and Boudreau, R.E.
An axon with a myelinated initial segment in the bird auditory system (628) 330
Carroll, F.I., see Little, K.Y. (628) 17
Casoli, T., see Bertoni-Freddari, C. (628) 193
Chiappa, K.H., see Triggs, W.J. (628) 39
Clark, T.B., see Little, K.Y. (628) 17
Compagnone, N., Fellmann, D., Bugnon, C. and Jaquemard, C.
Diffusible factors from rat arcuate nucleus and Broca's diagonal band nucleus increase size and neurite outgrowth, respectively, of cultured melanin-concentrating hormone containing neurons (628) 137
Corley, K.C., see Boadle-Biber, M.C. (628) 105
Cousins, M.S., see Salamone, J.D. (628) 218
Cros, D., see Triggs, W.J. (628) 39
Crow, T. and Pengidore, T.
Serotonin increases the frequency of light-elicited discrete waves in type-B photoreceptors of *Hermissenda* (628) 305

Dang, D.Q., see Gillard, E.R. (628) 128
Daugé, V., see Ladurelle, N. (628) 254
Day, B.J., see Triggs, W.J. (628) 39
Del Rio, J.A., see Garcia-Estrada, J. (628) 271
Denton, D.A., see Weisinger, R.S. (628) 166
Dilts, R.P., see Boadle-Biber, M.C. (628) 105
Dong, N., see Glick, S.D. (628) 201
Duncan, G.E., see Little, K.Y. (628) 17
Durnford, L.J., see Ridley, R.M. (628) 56

Edwards, G.L. and Power, J.D.
Attenuation of 8-OH-DPAT induced feeding after lesions of the area postrema/immediately adjacent nucleus of the solitary tract (628) 321
Emerich, D.F., see Sanberg, P.R. (628) 327
Eusebi, F., see Ragozzino, D. (628) 115

Fang, J., see Triggs, W.J. (628) 39
Fattoretti, P., see Bertoni-Freddari, C. (628) 193
Faucheux, B., see Villares, J. (628) 72
Feder, H.H., see Malik, K.F. (628) 26
Fellmann, D., see Compagnone, N. (628) 137
Fieles, A., see Scott, C.W. (628) 77
Florack, V.J., see Watt, C.B. (628) 349
Folkesson, R., see Nilsson, L. (628) 93
Frankfurter, A., see Kameda, Y. (628) 121
Fujimoto, K., see Ookuma, K. (628) 235
Fukagawa, K., see Ookuma, K. (628) 235

Garcia-Estrada, J., Del Rio, J.A., Luquin, S., Soriano, E. and Garcia-Segura, L.M.
Gonadal hormones down-regulate reactive gliosis and astrocyte proliferation after a penetrating brain injury (628) 271
Garcia-Segura, L.M., see Garcia-Estrada, J. (628) 271
Gillard, E.R., Dang, D.Q. and Stanley, B.G.
Evidence that neuropeptide Y and dopamine in the perifornical hypothalamus interact antagonistically in the control of food intake (628) 128
Glick, S.D., Rossman, K., Wang, S., Dong, N. and Keller Jr., R.W.
Local effects of ibogaine on extracellular levels of dopamine and its metabolites in nucleus accumbens and striatum: interactions with D-amphetamine (628) 201
Godshall, A.C., see Bahr, B.A. (628) 286
Granger, R., see Antón, P.S. (628) 157
Gundlach, A.L., Kortz, G., Burazin, T.C.D., Madigan, J. and Higgins, R.J.
Deficit of inhibitory glycine receptors in spinal cord from Peruvian Pasos: evidence for an equine form of inherited myoclonus (628) 263

Haburčák, M., see Pavlásek, J. (628) 145
Hall, R.A., Kessler, M., Quan, A., Ambros-Ingerson, J. and Lynch, G.
Cyclothiazide decreases [^{3}H]AMPA binding to rat brain membranes: evidence that AMPA receptor desensitization increases agonist affinity (628) 345
Hanai, K., see Yasuhara, O. (628) 85
Henriksson, B.G., see Nilsson, L. (628) 93
Higgins, R.J., see Gundlach, A.L. (628) 263
Hirsch, E.C., see Villares, J. (628) 72

Imai, S., see Onozuka, M. (628) 335

Jaquemard, C., see Compagnone, N. (628) 137
Javoy-Agid, F., see Villares, J. (628) 72

Kameda, Y., Kameya, T. and Frankfurter, A.
Immunohistochemical localization of a neuron-specific β-tubulin isotype in the developing chicken ultimobranchial glands (628) 121
Kameya, T., see Kameda, Y. (628) 121
Keller, G., see Ladurelle, N. (628) 254
Keller Jr., R.W., see Glick, S.D. (628) 201
Kessler, M., see Hall, R.A. (628) 345

Kimura, H., see Yasuhara, O. (628) 85
Kirkman, J.A., see Little, K.Y. (628) 17
Köller, H. and Siebler, M.
Impaired neuronal function induced by the immune mediator leukotriene B_4 (628) 313
Kortz, G., see Gundlach, A.L. (628) 263
Koutouzis, T.K., see Sanberg, P.R. (628) 327
Kreiter, N.A., see Viancour, T.A. (628) 209
Kurokawa, M., see Ookuma, K. (628) 235
Kurth, P.A., see Salamone, J.D. (628) 218

Ladurelle, N., Keller, G., Roques, B.P. and Daugé, V.
Effects of CCK_8 and of the CCK_B-selective agonist BC264 on extracellular dopamine content in the anterior and posterior nucleus accumbens: a microdialysis study in freely moving rats (628) 254
Lahsaïni, A., see Bernard, J. (628) 340
Lees, G.J. and Leong, W.
Differential effects of NBQX on the distal and local toxicity of glutamate agonists administered intra-hippocampally (628) 1
Leong, W., see Lees, G.J. (628) 1
Little, K.Y., Kirkman, J.A., Carroll, F.I., Clark, T.B. and Duncan, G.E.
Cocaine use increases [^{3}H]WIN 35428 binding sites in human striatum (628) 17
Luquin, S., see Garcia-Estrada, J. (628) 271
Lynch, G., see Bahr, B.A. (628) 286
Lynch, G., see Antón, P.S. (628) 157
Lynch, G., see Hall, R.A. (628) 345

Macdonell, R.A.L., see Triggs, W.J. (628) 39
Machidori, H., see Ookuma, K. (628) 235
Madamba, S., see Bellinger, F.P. (628) 227
Madigan, J., see Gundlach, A.L. (628) 263
Magnuson, D.S.K., Staines, W.A. and Marshall, K.C.
Electrophysiological changes accompanying DSP-4 lesions of rat locus coeruleus neurons (628) 317
Malik, K.F., Morrell, J.I. and Feder, H.H.
Effects of alpha-2-adrenergic drugs in the medial preoptic area and medial basal hypothalamus on lordosis in the guinea pig (628) 26
Marshall, K.C., see Magnuson, D.S.K. (628) 317
Mašánová, C., see Pavlásek, J. (628) 145
Massicotte, G., see Bernard, J. (628) 340
McCullough, L.D., see Salamone, J.D. (628) 218
McGeer, P.L., see Yasuhara, O. (628) 85
McKinley, M.J., see Weisinger, R.S. (628) 166
Meier-Ruge, W., see Bertoni-Freddari, C. (628) 193
Miselis, R.R., see Weisinger, R.S. (628) 166
Mohammed, A.K.H., see Nilsson, L. (628) 93
Morrell, J.I., see Malik, K.F. (628) 26
Murray, B.A., see Bahr, B.A. (628) 286

Nagasaki, S., see Onozuka, M. (628) 335
Nilsson, L., Mohammed, A.K.H., Henriksson, B.G., Folkesson, R., Winblad, B. and Bergström, L.
Environmental influence on somatostatin levels and gene expression in the rat brain (628) 93
Nilsson, L., see Bogdanovic, N. (628) 31
Norman, A.B., see Sanberg, P.R. (628) 327
Norrsell, U., see Vallbo, Å. (628) 301

Ohkubo, I., see Yasuhara, O. (628) 85
Olausson, H., see Vallbo, Å. (628) 301
Onozuka, M., Watanabe, K., Imai, S., Nagasaki, S. and Yamamoto, T.
Lidocaine suppresses the sodium current in *Euhadra* neurons which is mediated by cAMP-dependent protein phosphorylation (628) 335
Ookuma, K., Sakata, T., Fukagawa, K., Yoshimatsu, H., Kurokawa, M., Machidori, H. and Fujimoto, K.
Neuronal histamine in the hypothalamus suppresses food intake in rats (628) 235
Orlický, J., see Pavlásek, J. (628) 145
Ouellette, W., see Sanberg, P.R. (628) 327

Park, R.G., see Weisinger, R.S. (628) 166
Parks, T.N., see Zhou, N. (628) 149
Patrini, C., Perucca, E., Reggiani, C. and Rindi, G.
Effects of phenytoin on the in vivo kinetics of thiamine and its phosphoesters in rat nervous tissues (628) 179
Pavlásek, J., Haburčák, M., Mašánová, C. and Orlický, J.
Increase of catecholamine content in the extracellular space of the rat's brain cortex during spreading depression wave as determined by voltammetry (628) 145
Pengidore, T., see Crow, T. (628) 305
Perkins IV, A.T., see Berry, R.L. (628) 99
Perucca, E., see Patrini, C. (628) 179
Phan, T.-H., see Boadle-Biber, M.C. (628) 105
Phillis, J.W. and Sen, S.
Oxypurinol attenuates hydroxyl radical production during ischemia/reperfusion injury of the rat cerebral cortex: an ESR study (628) 309
Power, J.D., see Edwards, G.L. (628) 321

Quan, A., see Hall, R.A. (628) 345

Ragozzino, D. and Eusebi, F.
Inhibition of GABA and glycine responses by glutamate in rat hippocampal neurons (628) 115
Reggiani, C., see Patrini, C. (628) 179
Ridley, R.M., Durnford, L.J., Baker, J.A. and Baker, H.F.
Cognitive inflexibility after archicortical and paleocortical prefrontal lesions in marmosets (628) 56
Rindi, G., see Patrini, C. (628) 179
Roques, B.P., see Ladurelle, N. (628) 254
Rose, R.C.
Cerebral metabolism of oxidized ascorbate (628) 49
Rossman, K., see Glick, S.D. (628) 201
Rusak, B., see Ying, S.-W. (628) 8

Sakata, T., see Ookuma, K. (628) 235
Salamone, J.D., Kurth, P.A., McCullough, L.D., Sokolowski, J.D. and Cousins, M.S.
The role of brain dopamine in response initiation: effects of haloperidol and regionally specific dopamine depletions on the local rate of instrumental responding (628) 218
Sanberg, P.R., Emerich, D.F., Aebischer, P., Amisetti, S.M., Ouellette, W., Koutouzis, T.K., Cahill, D.W. and Norman, A.B.
Substance P containing polymer implants protect against striatal excitotoxicity (628) 327
Santiago, M., Cano, J. and Westerink, B.H.C.
Are bilateral nigrostriatal dopaminergic pathways functionally linked in the rat brain? A microdialysis study in conscious rats (628) 187
Sasaki, M., see Yasuhara, O. (628) 85
Scott, C.W., Fieles, A., Sygowski, L.A. and Caputo, C.B.
Aggregation of tau protein by aluminum (628) 77
Sen, S., see Phillis, J.W. (628) 309
Siebler, M., see Köller, H. (628) 313
Siggins, G.R., see Bellinger, F.P. (628) 227
Simpson, J.B., see Weisinger, R.S. (628) 166
Singh, V.B., see Boadle-Biber, M.C. (628) 105
Sokolowski, J.D., see Salamone, J.D. (628) 218
Soriano, E., see Garcia-Estrada, J. (628) 271
Spagna, C., see Bertoni-Freddari, C. (628) 193
Staines, W.A., see Magnuson, D.S.K. (628) 317
Stanley, B.G., see Gillard, E.R. (628) 128
Stewart, J., see Altier, N. (628) 279
Stewart, J.S. and Brunjes, P.C.
Spatial organization and plasticity of the primary and secondary olfactory projections in goldfish (628) 243
Strada, O., see Villares, J. (628) 72
Sygowski, L.A., see Scott, C.W. (628) 77

Teyler, T.J., see Berry, R.L. (628) 99
Triggs, W.J., Cros, D., Macdonell, R.A.L., Chiappa, K.H., Fang, J. and Day, B.J.
Cortical and spinal motor excitability during the transcranial magnetic stimulation silent period in humans (628) 39

Ulrich, J., see Bertoni-Freddari, C. (628) 193

Vallbo, Å., Olausson, H., Wessberg, J. and Norrsell, U.
A system of unmyelinated afferents for innocuous mechanoreception in the human skin (628) 301
Viana, M.E., see Wilmarth, K.R. (628) 293
Viancour, T.A. and Kreiter, N.A.
Vesicular fast axonal transport rates in young and old rat axons (628) 209
Villares, J., Faucheux, B., Strada, O., Hirsch, E.C., Agid, Y. and Javoy-Agid, F.
Autoradiographic study of [^{125}I]epidermal growth factor-binding sites in the

mesencephalon of control and parkinsonian brains post-mortem (628) 72

Wang, S., see Glick, S.D. (628) 201
Watanabe, K., see Onozuka, M. (628) 335
Watt, C.B. and Florack, V.J.
Colocalization of enkephalin and glycine in amacrine cells of the chicken retina (628) 349
Weisinger, R.S., Denton, D.A., McKinley, M.J., Miselis, R.R., Park, R.G. and Simpson, J.B.
Forebrain lesions that disrupt water homeostasis do not eliminate the sodium appetite of sodium deficiency in sheep (628) 166
Wessberg, J., see Vallbo, Å. (628) 301
Westerink, B.H.C., see Santiago, M. (628) 187
Wilmarth, K.R., Viana, M.E. and Abou-Donia, M.B.
Carbon disulfide inhalation increases Ca^{2+}/calmodulin-dependent kinase phosphorylation of cytoskeletal proteins in the rat central nervous system (628) 293
Winblad, B., see Bogdanovic, N. (628) 31
Winblad, B., see Nilsson, L. (628) 93

Yamamoto, T., see Onozuka, M. (628) 335
Yasuhara, O., Hanai, K., Ohkubo, I., Sasaki, M., McGeer, P.L. and Kimura, H.
Expression of cystatin C in rat, monkey and human brains (628) 85
Ying, S.-W., Zhang, D.-X. and Rusak, B.
Effects of serotonin agonists and melatonin on photic responses of hamster intergeniculate leaflet neurons (628) 8
Yoshimatsu, H., see Ookuma, K. (628) 235

Zhang, D.-X., see Ying, S.-W. (628) 8
Zhou, N. and Parks, T.N.
Maintenance of pharmacologically-immature glutamate receptors by aberrant synapses in the chick cochlear nucleus (628) 149

(contents continued)

Simulated dendritic spines influence reciprocal synaptic strengths and lateral inhibition in the olfactory bulb
P.S. Antón, R. Granger and G. Lynch (USA) 157
Forebrain lesions that disrupt water homeostasis do not eliminate the sodium appetite of sodium deficiency in sheep
R.S. Weisinger, D.A. Denton, M.J. McKinley, R.R. Miselis, R.G. Park and J.B. Simpson (Australia) 166
Effects of phenytoin on the in vivo kinetics of thiamine and its phosphoesters in rat nervous tissues
C. Patrini, E. Perucca, C. Reggiani and G. Rindi (Italy) 179
Are bilateral nigrostriatal dopaminergic pathways functionally linked in the rat brain? A microdialysis study in conscious rats
M. Santiago, J. Cano and B.H.C. Westerink (Spain, The Netherlands) 187
Morphological plasticity of synaptic mitochondria during aging
C. Bertoni-Freddari, P. Fattoretti, T. Casoli, C. Spagna, W. Meier-Ruge and J. Ulrich (Italy, Switzerland) 193
Local effects of ibogaine on extracellular levels of dopamine and its metabolites in nucleus accumbens and striatum: interactions with D-amphetamine
S.D. Glick, K. Rossman, S. Wang, N. Dong and R.W. Keller Jr. (USA) 201
Vesicular fast axonal transport rates in young and old rat axons
T.A. Viancour and N.A. Kreiter (USA) 209
The role of brain dopamine in response initiation: effects of haloperidol and regionally specific dopamine depletions on the local rate of instrumental responding
J.D. Salamone, P.A. Kurth, L.D. McCullough, J.D. Sokolowski and M.S. Cousins (USA) 218
Interleukin 1β inhibits synaptic strength and long-term potentiation in the rat CA1 hippocampus
F.P. Bellinger, S. Madamba and G.R. Siggins (USA) 227
Neuronal histamine in the hypothalamus suppresses food intake in rats
K. Ookuma, T. Sakata, K. Fukagawa, H. Yoshimatsu, M. Kurokawa, H. Machidori and K. Fujimoto (Japan) 235
Spatial organization and plasticity of the primary and secondary olfactory projections in goldfish
J.S. Stewart and P.C. Brunjes (USA) 243
Effects of CCK_8 and of the CCK_B-selective agonist BC264 on extracellular dopamine content in the anterior and posterior nucleus accumbens: a microdialysis study in freely moving rats
N. Ladurelle, G. Keller, B.P. Roques and V. Daugé (France) 254
Deficit of inhibitory glycine receptors in spinal cord from Peruvian Pasos: evidence for an equine form of inherited myoclonus
A.L. Gundlach, G. Kortz, T.C.D. Burazin, J. Madigan and R.J. Higgins (Australia, USA) 263
Gonadal hormones down-regulate reactive gliosis and astrocyte proliferation after a penetrating brain injury
J. Garcia-Estrada, J.A. Del Rio, S. Luquin, E. Soriano and L.M. Garcia-Segura (Spain, México) 271
Intra-VTA infusions of the substance P analogue, DiMe-C7, and intra-accumbens infusions of amphetamine induce analgesia in the formalin test for tonic pain
N. Altier and J. Stewart (Canada) 279
Age-related changes in neural cell adhesion molecule (NCAM) isoforms in the mouse telencephalon
B.A. Bahr, A.C. Godshall, B.A. Murray and G. Lynch (USA) 286
Carbon disulfide inhalation increases Ca^{2+}/calmodulin-dependent kinase phosphorylation of cytoskeletal proteins in the rat central nervous system
K.R. Wilmarth, M.E. Viana and M.B. Abou-Donia (USA) 293

(contents continued on p. 360)